




Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Serial No	Status	Receive Date	Price/Unit	Aging Days	Past Due	T
PO038893	ACI001-VC	13	1	Net 30	M303B1.000X1.000	M303B1.000 X 1.000 : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft				12	9/2/2018	12		S041750	Stock	2/13/2018	\$ 22.95 / ft	0		\$:
		14			M303B1.000X03.000	303 Bar 1" X 3" : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft						12		S041751	Stock	2/13/2018	\$ 75.33 / ft	0		\$:
Total:										24		24								\$9:

Plex 2/13/2018 9:24 AM Dart,Dubois,Pascal



ACIER OUELLETTE INC.

935, Boul. du Hâvre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

DELIVERY - CLIENT

CO00071819

Billed to

DART AEROSPACE LTD
1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

Instruction F-M

Att: CHANTAL LAVOIE Tél.: 613-632-5200
Delivery Route 5

Customer N° CL10001056
Date 2018/01/30
Delivery date 2018/02/09
Your order N° PO038893
Processed by Stephanie Dignard
Salesman
Carrier OUELLETTE VALLEYFIELD
Credit Terme Net 30 Days
Page 1

Product Description	Weight	Qty	U/M	PCS NB			Internal Use Only				
				CMD	EXP	B/O	IN	I	S	C	OUT
1 SQUARE SS 1 SS303 NS CSS-1303 9512 1 X 12' R/L AC13157-SM-2018/02/07	40.80	12.00	PI		12' 11"		12	DAS 11 FEB 13 2018 9-89			
2 FLAT SS 1 X 3 SS303 NS FSS-13303 9735 1 X 12' R/L AC13159-JG-2018/02/08	123.00	12.00	PI		14 12' 3"		12	DAS 11 FEB 13 2018 9-89			

Total Weight (Lbs) : 163.80

NIR : R-109516-6

Conditions :
All sold and delivered materials remain the property of "Acier Ouellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Prepared By :

Verified By :


Delivered By :

Time

Customer's Signature

Date

Total (\$CAD)



ACIER OUELLETTE INC.

Order - Sales

Copy

CO00071819

935, Boul. du Hâvre
Sablery de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Customer N°

CL10001056

Date

2018/01/30

Delivery date

2018/02/09

Your order N°

PO036893

Processed by

Stephanie Dignard

Salesman

Carrier

OUELLETTE VALLEYFIELD

Credit Terme

Net 30 Days

Billed to

DART AEROSPACE LTD

1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

Att: CHANTAL LAVOIE Tél.: 613-632-5200

Delivery Route 5

Page

1

Product Description	Weight	Qty	U/M	PCS NB			Internal Use Only					
				CMD	EXP	B/O	IN	I	S	C	OUT	
1 SQUARE SS 1 SS303 NS CSS-1303 1 X 12' R/L AC13157-SM-2018/02/07 Heat 271017 9512	40.80	12.00	PI	0.00								
2 FLAT SS 1 X 3 SS303 NS FSS-13303 1 X 12' R/L AC13159-JG-2018/02/08 Heat 273666 9735	123.00	12.00	PI	0.00								
SURCHARGE ENERGETIQUE FRAIS_ENERGETIQUE			\$	0.00								

Total Weight (LBS) : 163.80

Total Weight (LBS): 163.80

NIR: R-109516-6

Conditions:
All sold and delivered materials remain the property of "Acier Ouellette Inc." until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Prepared By:

Verified By:

Delivered By: Time

Customer's Signature

Y M D

Total (\$CAD)

1 337.14

Deposit

0.00

Balance

1 337.14



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO038983**

Supplier: ACI001-VC
Acier Ouellette Inc.
935 Boul. Du Havre
Valleyfield
QC
J6S 5L1 Canada
Phone: 800 667 4248
Fax: 450 377 5696

PO No: PO038983

PO Date: 2/7/18

Due Date: 2/12/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Lacelle, Linda
Phone: llacelle@dartaero.com



FEB 09 2018

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground

Pynt Terms: Net 30

Freight Terms:

Special Comments: quotation sou0084311

REVISED

Items

Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	M304S16GA		304/316 Sheet .063 : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 receive sf	Firmed	2/12/18	96 sf	0 sf	96 sf	\$6.508625/sf	\$624.83
2	M304S18GA		304/316 .050 Sheet : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240	Firmed	2/12/18	256 sf	0 sf	256 sf	\$5.355/sf	\$1,370.88
3	M304S20GA		304/316 .040 Sheet : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 receive sf	Firmed	2/12/18	96 sf	0 sf	96 sf	\$3.90854/sf	\$375.22
5	M6061T6S.040		6061-T6 .040 Sheet : MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209 receive sf	Firmed	2/12/18	96 sf	0 sf	96 sf	\$3.6648958/sf	\$351.83

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
6	M6061T6S.063		6061-T6 .063 Sheet : MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209 receive sf	Firmed	2/12/18	96 sf	0 sf	96 sf	\$5.6397916/sf	\$541.42
7	M6061T6S0.250X6.250		6061-T651 Sheet 0.250" Thick Plate x 6.250" Wide	Firmed	2/12/18	6 ft	0 ft	6 ft	\$16.508333/ft	\$99.05
8	M6061T6B1.000X04.000		6061-T6 Bar 1.00 X 4.00 : MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	2/12/18	12 ft	0 ft	12 ft	\$13.245833/ft	\$158.95
9	M6061T6B1.000X8.000		6061T6 Bar 1.000 X 8.000 : MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	2/12/18	12 ft	0 ft	12 ft	\$24.994166/ft	\$299.93
10	M6061T6B1.000X06.000		6061T6 Bar 1.00 X 6.00 : MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	2/12/18	36 ft	0 ft	36 ft	\$19.451666/ft	\$700.26
11	M303B1.000X03.000		303 Bar 1" X 3' : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft	Firmed	2/16/18	24 ft	0 ft	24 ft	\$74.41/ft	\$1,785.84
12	M303B1.000X1.000		M303B1.000 X 1.000 : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft	Firmed	2/16/18	24 ft	0 ft	24 ft	\$20.94/ft	\$502.56

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
13	M304B1.000X2.500		304 Bar 1.000 X 2.500" : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	2/12/18	12 ft	0 ft	12 ft	\$30.255833/ft	\$363.07
14	M304B2.500X02.500		304 Bar 2.500 X 2.500" : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	2/12/18	12 ft	0 ft	12 ft	\$80.75/ft	\$969.00
15	M304B0.625X4.000		304 Bar 0.625 X 4.000" : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	2/12/18	4 ft	0 ft	4 ft	\$48.105/ft	\$192.42
16	MT-4140QT-R1.375		MT-4140 QT-R1.375 : MAT'L: AISI 4130 QUENCHED & TEMPERED ROUND BAR AS PER ASTM 4140 QT OR ASTM 4142 QT	Firmed	2/14/18	20 ft	0 ft	20 ft	\$9.3885/ft	\$187.77
17	M303R0.250		303 Round Bar 0.250"	Firmed	2/12/18	12 ft	0 ft	12 ft	\$0.570833/ft	\$6.85
18	M6061T6TS1.250W.120		6061T6 Sq Tube 1.250 X 1.250 X.120W : MATERIAL: 6061-T6 OR 6061- T651/T6510/T6511/T62 SQUARE TUBING AS PER AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR PER AMS-QQ-A-200/8 OR AMS 4160 receive ft	Firmed	2/12/18	20 ft	0 ft	20 ft	\$1.4615/ft	\$29.23
19	M2024T3S.040		2024-T3 .040 Sheet : MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209	Firmed	2/12/18	48 sf	0 sf	48 sf	\$5.601875/sf	\$268.89
20	M1018R1.00		1018-1025 Round Bar 1.00 : MATERIAL: AISI 1018- 1025 ROUND BAR M1010S20GA AS PER MIL-S-7097 OR ASTM A108 receive ft	Firmed	2/12/18	20 ft	0 ft	20 ft	\$2.6685/ft	\$53.37

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
21	MT-4140QT-R1.000		AISI 4140 Quenched & Tempered Steel Round Bar 1.000" Dia.	Firmed	2/12/18	8 ft	0 ft	8 ft	\$4.78875/ft	\$38.31
22	MT-4140QT-R0.625		AISI 4140 Quenched & Tempered Steel Round Bar 0.625" Dia.	Firmed	2/14/18	100 ft	0 ft	100 ft	\$2.8782/ft	\$287.82
23	MT-4140-B-1.000X6.250		4140 Steel Bar 1.000 X 6.250 : AISI 4140N STEEL BAR PER MIL-S-5626, AMS 6382, AMS 6349, AMS 6529 receive ft	Firmed	2/22/18	4 ft	0 ft	4 ft	\$61.25/ft	\$245.00
24	MT-A513-T-0.750W0.085		A513 Seamless Alloy Steel Round Tubing 0.75"dia. x 0.085" Wall	Firmed	2/14/18	20 ft	0 ft	20 ft	\$3.60/ft	\$72.00
Line Item Note 0.083"wall acceptable										
Grand Total:										\$9,524.50

Order Notes

Procurement Quality Clauses

A005 right of entry
 A012 chemical and physical test report
 A016 personnel qualification
 A017 raw material identification (as applicable)
 A026 certification of material conformance
 A041 quality management system
 A042 dart notification by supplier
 A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 2/9/18 1:48 PM dart.lavoie.chantal

71819

DART

P0.13157

**VALBRUNA**
 SLATER STAINLESS, INC.
 2400 TAYLOR STREET WEST - PO BOX 630
 PORT WYATT, IN 46802 USA
 PHONE 260.434.2800 - FAX 260.434.2801
Product Certification ReportReport Number: **5317110**

Certified on Apr 21, 2017 Page 1 of 1

Order I.D.	Order Date	Commodity Code			
1601704-001	10/14/16	303801-0			
Dim 1	Dim 2	Dim 3	Heat I.D.	Customer I.D.	Customer Purchase Order
1.0000	.0000	.0000	271017	002475	51243
Product Shape	Product Surface		Customer Grade		
Cold Drawn Squares	Cold Drawn Finish		303		
Length (Inches)	Bill of Lading #		Weight		
132.000 Min. 156.000 Max.	429357		Melt Date: 9/19/16		

VALBRUNA STAINLESS, INC.
 1000 CANNONBALL ROAD
 POMPTON LAKES, NJ 07442

Ship To

VALBRUNA STAINLESS, INC.
 1000 CANNONBALL RUN
 POMPTON, NJ 07442

Sold To

Lifts: 0006

AISI 303

UNS S30300

AMS 5640V TYPE 1

CHEMICAL ANALYSIS

C	Mn	P	S	Si	Cr	Ni	Mo	Cu	Co	N
.046	1.74	.031	.26	.64	17.44	8.02	.32	.54	.14	.02

BRINELL Type A device E10-15a

HBW

210

ROOM TEMP TENSILE ASTM E8-16a

TS (PSI)	.2%YS (PSI)	%EL(2")	%RA
106200	68200	40.2	54.5

MACRO ASTM E340-15/E381-01(12)

MACRO

OK

No welding or weld repair done.

Material when shipped is free from contamination by mercury, radium, alpha source, and low melting elements.

Reduction Ratio Exceeds 4:1

Electric Furnace melted; AOD refined.

Chemical testing to one or more of the listed ASTM methods:

E1019-11; E1086-14.

Location of tensile fracture: inside middle of gage length. %elong after fracture.

Chemical Analysis performed at Acciaierie Valbruna, Italy.

No mercury or low melting alloy contamination. No weld repair.

Melted and manufactured in Italy.

Material conforms to listed specifications, DFARS compliant. Our heat treat furnaces use air atmosphere.

Quality system is compliant with ISO 9001:2008. Produced in accordance with EN 10204 3.1.

Results relate only to the items tested. Certification shall not be reproduced except in full, without written approval of Valbruna Stainless Inc. The recording of false, fictitious, or fraudulent statements on this document may be punished as a felony under federal statutes, including Federal law Title 18, Chapter 47. Consult material safety data sheet (MSDS) for hazard info. I hereby certify that the reported figures are correct as contained in the records of the corporation.

Manager Laboratory Services

email: TLandwehr@valbruna.us

Tad Landwehr

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS



E M. Jorgensen
(a) Inc.

Page 01 of 02

Certification Date
8-FEB-2018

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

AC00013159
PART NUMBER/NUMÉRO DE PIÈCE
511237

EARLE M JORGENSEN CAN DIV RMCL
1255, AVE LAPLACE
VILLE DE LAVAL QC H7C 2N6

Invoice Number
T375548

SOLD TO: ACIER OUELLETTE INC. SHIP TO: ACIER OUELLETTE INC.
VENDU À: DIVISION SALABERRY DE VALLEYFIELD DIVISION SALABERRY DE VALLEYFIELD
935, BOUL. DU HAVRE 935, BOUL. DU HAVRE
SALABERRY-DE- VALLEYFIELD QC J6S 5L1 SALABERRY-DE- VALLEYFIE QC J6S

Description: 303 CD ANN BAR ASTM A582

1 X 3 PLAT X 12' R/L

HEAT: 273666

ITEM: 511237

Line Total: 126 LB

Specifications:

AMS 5640 TYPE 1 V

ASTM A314 15

MIL S 862 B

ASTM A582 12

ASTM A320 17A

QQ S 764 B

ASME SA320 15

ASTM A370 1

CHEMICAL ANALYSIS

C	SI	MN	CR	MO	CU	NI	CO
0.034	0.31	1.68	17.43	0.43	0.48	8.09	0.137
P	S	ZR					
0.032	0.34	0.003					

RCPT: R359839

COUNTRY OF ORIGIN : ITALY

MECHANICAL PROPERTIES

DESCRIPTION	YLD STR KSI	ULT TEN KSI	%ELONG IN 02 IN	%RED IN AREA	HARDNESS BHN
	63.0	100.0	41.0	59.0	204

GRAIN SIZE : 5

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du fabricant après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport n'a pas été en contact avec le mercure pendant sa possession.

JOANNE DESPRES
Joanne Despres

MANAGER QUALITY ASSURANCE
GÉRANT DE L'ASSURANCE QUALITÉ

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS



E M. Jorgensen
(C 'a) Inc.

Page 02 of 02

Certification Date
8-FEB-2018

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

AC00013159

EARLE M JORGENSEN CAN DIV RMCL
1255, AVE LAPLACE
VILLE DE LAVAL QC H7C 2N6

Invoice Number
T375548

PART NUMBER/NUMÉRO DE PIÈCE
511237

SOLD TO:	ACIER OUELLETTE INC.	SHIP TO:	ACIER OUELLETTE INC.
VENDU À:	DIVISION SALABERRY DE VALLEYFIELD	EXPÉDIE À:	DIVISION SALABERRY DE VALLEYFIELD
	935, BOUL. DU HAVRE		935, BOUL. DU HAVRE
	SALABERRY-DE- VALLEYFIELD QC J6S 5L1		SALABERRY-DE- VALLEYFIE QC J6S

Description: 303 CD ANN BAR ASTM A582
1 X 3 FLAT X 12' R/L

Line Total: 126 LB

HEAT: 273666 ITEM: 511237

MATERIAL IS FREE FROM MERCURY CONTAMINATION
NO WELD REPAIR PERFORMED ON MATERIAL
MACRO: OK
MICRO1: OK

COMMENTS

MATERIAL IS DFARS COMPLIANT

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOANNE DESPRES

MANAGER QUALITY ASSURANCE
GÉRANT DE L'ASSURANCE QUALITÉ

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M303B1.000X1.000
 DATE: FEB 13 2018

PO BATCH NO: 028883/041280

MATERIAL CERT REQD: yes
 QUANTITY RECEIVED: 12"
 QUANTITY INSPECTED: 12"
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.000
 THICKNESS RECEIVED: 1.000
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y	N	<u>As per A582</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	<u>Heat # 271017</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D / WES
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if req)
INSPECTED BY: _____	SIGNED OFF BY: _____
DATE: <u>FEB 13 2018</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in


SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 303 SS BAR
 (NOTE: AISI 304/316 NOT ACCEPTABLE)
 SPECIFICATION: ASTM A582
 PART NUMBER: M303B/TTT X(WW/MMW)
 THICK | WIDTH

WHERE "TTT" = THICKNESS IN INCHES
 AND "WW/MMW" = WIDTH IN INCHES
 EG. 0.5" x 3.0" BAR = M303B0.500X03.000

B	REFORMAT DWG. ADD SPECS (ZIN DB-1).	CP	10.01.05
A	NEW ISSUE	DS	02.05.29
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.01.05		
DRAWING NO. M303B		REV. B	
TITLE 303 BAR		SHEET 1 OF 1	
COPYRIGHT © 2002 BY DART AEROSPACE LTD.		SCALE NTS	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS LOANED TO YOU BY THE ISSUING OFFICE. IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.			

RELEASED
 2010-02-02
 MPD



MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M303B1.000x03.000

PO BATCH NO: 08893/5041751

DATE: FEB 13 2018

MATERIAL CERT REQD: YES
 QUANTITY RECEIVED: 121'
 QUANTITY INSPECTED: 121'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.000
 THICKNESS RECEIVED: 1.000
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	<u>Aston A582</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	<u>Heat # 276-273666</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK.
 RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR C	WEAR
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION

ENGINEERING SIGNOFF (if req)

INSPECTED BY: DAS
11
 DATE: 9-89 FEB 13 2018

SIGNED OFF BY: _____
 DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in.

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 303 SS BAR
(NOTE: AISI 304/316 NOT ACCEPTABLE)

SPECIFICATION:

ASTM A582

PART NUMBER:

M303B TTTT X WWW WWW
THICK WIDTH

WHERE "TTTT" = THICKNESS IN INCHES
AND "WWW.WWW" = WIDTH IN INCHES
EG. 0.5" x 3.0" BAR = M303B0.500X03.000

RELEASED
R 2010-02-02
NPD

REV.	DESIGN	DESCRIPTION	CP	10.01.05
A	NEW ISSUE		DS	02.05.29
DESIGN	DRAWN		BY	DATE
CHECKED				
MFG. APPR.				
APPROVED				
DE APPR.				
DATE	10.01.05			
DART AEROSPACE LTD		REV. B		
HAWKESBURY, ONTARIO, CANADA		SHEET 1 OF 1		
DRAWING NO. M303B		SCALE		
TITLE 303 BAR		NTS		
COPYRIGHT © 2002 BY DART AEROSPACE LTD				
THIS DOCUMENT IS UNCLASSIFIED AND IS RELEASED IN THE PUBLIC DOMAIN. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.				